



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Antimicrobials Division (7510P)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

EPA Reg. Number:

70627-80

Date of Issuance:

12/19/19

NOTICE OF PESTICIDE:

☒ Registration
☐ Reregistration
(under FIFRA, as amended)

Term of Issuance:

Conditional

Name of Pesticide Product:

Oxivir HC Wipes

Name and Address of Registrant (include ZIP Code):

Sara Seltzer
Registration Specialist
Diversey, Inc.
PO Bos 19747
Charlotte, NC 28219-0747

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Antimicrobials Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A). You must comply with the following conditions:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.

Signature of Approving Official:

John Hebert, Branch Chief
Regulatory Management Branch I
Antimicrobials Division (7510P)

Date:

12/19/19

2. You are required to comply with the data requirements described in the DCI Order identified below:

- a. Hydrogen Peroxide GDCI-000595-1127

You must comply with all of the data requirements within the established deadlines. If you have questions about the Generic DCI listed above, you may contact the Reevaluation Team Leader (Team 36): <http://www2.epa.gov/pesticide-contacts/contacts-office-pesticide-programs-antimicrobial-division>

3. Make the following label changes before you release the product for shipment:
 - Revise the EPA Registration Number to read, “EPA Reg. No. 70627-80.”
4. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA’s Office of Enforcement and Compliance.

If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. Please also note that the record for this product currently contains the following CSFs:

- Basic CSF dated 12/13/2019
- Alternate CSF 1 dated 12/13/2019
- Alternate CSF 2 dated 12/13/2019

If you have any questions, please contact Terria Northern by phone at 703-347-0265, or via email at Northern.Terria@epa.gov.

Enclosure

ACCEPTED

12/19/2019

Under the Federal Insecticide, Fungicide
and Rodenticide Act as amended, for the
pesticide registered under
EPA Reg. No. 70627-80

OXIVIR™ HC WIPES

(Ready to Use) (Easy to Use) (Towelette) (Wipe)
(One-Step Disinfectant and Deodorizing Wipes)

•(Sanitizer) •(Sanitizing Wipes) •(Cleaner) •(Disinfectant) •(Deodorizer)
(*Virucidal) •(Bactericidal)

(Meets surface disinfection recommendations from OSHA Bloodborne Pathogen Standard)

• (Kills Norovirus)

(Use on hard non-porous non-food contact surfaces, including: (Grocery Cart Handles) (Cash Registers)
(Telephones) (Doorknobs))

•(Eliminates Buckets) •(No need to Spray!)

•(Pre-moistened) •(Pre-measured) • (Always Ready-to-Use)
(No measuring or mixing required)

(Hydrogen Peroxide)

(For (Hospital) (Health Care) (Industrial) (&) (Institutional) (and) (Residential) Use)

ACTIVE INGREDIENT:

Hydrogen Peroxide..... 0.5%

OTHER INGREDIENTS: 99.5%

TOTAL:..... 100.0%

KEEP OUT OF REACH OF CHILDREN

Emergency Number: 1-800-851-7145

Net Contents: xxxxxxxxxxxxxxxx

EPA Reg. No. 70627-XX

EPA Est. No. (74559-CAN-1 [VX]); (0312-WI-3 [NW])

(Lot code letters indicate
establishment number.)

[Made in (Product of) (USA)(Canada)]

[Manufactured][Distributed][by][for]: © 2019 Diversey, Inc., P.O. Box 19747, Charlotte, NC 28219-0747 USA

(See reference sheet (enclosed in each case) for (a completed list of organisms) (additional (features) (claims)
(directions for use)) (for this product)).

(CLAIMS: *These may be used partially, in their entirety, or may be combined appropriately with commas, changes in capitalization, and addition of "and" as necessary, or not at all.*)

(MARKETING CLAIMS):

A disinfectant cloth for use on telephone surfaces and other telecommunications equipment surfaces
A Hydrogen Peroxide solution impregnated in a wiping cloth
Aids in reducing (or in the reduction of) cross contamination between treated surfaces
Always ready to use
An effective way to clean, deodorize against odor-causing organisms and disinfect hard, non-porous surfaces
An effective way to disinfect hard, non-porous environmental surfaces
Built-in Scrubbing Fibers
Clean & disinfect hard non-porous surfaces in any room, any time
Clean & disinfect hard non-porous surfaces
Clean & disinfect hard non-porous surfaces easily
Cleaner and disinfectant towel (or cloth)
Cleans and disinfects
Cleans and disinfects (cell phone surfaces) (telephone equipment) (telephone equipment surfaces) (dictating equipment surfaces) (telecommunications equipment surfaces) (devices)
Cleans, deodorizes and disinfects
Cleans, deodorizes and brightens in one step
A (cleaner) (and) (disinfectant (and) cleaner (that (cleans), (disinfects) and (deodorizes) in one labor saving step)
Cloth
Contains no phosphates
Compatible with (Suitable for) (Will not harm) most hard non-porous surfaces. (No bleach (or chlorine) stains)
Deodorizer (Odor Counteractant) (Odor Neutralizer)
Convenient
Convenient & easy cleaning all around (the office) (business) (workplace)
Cuts grease
Cuts the toughest grime and grease without scratching surfaces
Disposable
Pre-moistened towelettes (disposable wipes) clean, deodorize and kill listed bacteria all around your (office) (business) (workplace)
Easy / Effective
For everyday use (in (institutional) (and) (industrial) facilities)
For hard, non-porous surfaces
For use in critical care areas (where control of the hazards of cross-contamination between treated surfaces is of prime importance)
For use (in) (Hospitals), (Health Care) (settings) (as a multi-purpose disinfectant cleaner)
For your toughest bathroom messes
Formulated with patented hydrogen peroxide technology
Formulated with patented AHP technology
(Fragrance Free) (Unscented) Formula
Great on-the-go disinfectant (cloth)
Hard non-porous surface (cleaning &) disinfecting made easy cleaner (or cleaning) (cloth)
Help make your (the) [*insert any use site from use site section*] Oxivir Clean
No fragrance added (No added fragrance)
No rinse required

Non-corrosive (to eyes) (and) (skin)
Non-tainting (leaves no unsightly residues)
Non-woven disposable cloth
Not a skin (dermal) sensitizer (non-sensitizer)
Pre-measured (towelette) (towelettes) (wipe) (wipes)
Pre-moistened (towelette) (towelettes) (wipe) (wipes)
Pre-soaked (cloth or towelette or wipe)
Efficiently (eliminates) (removes) (bad) (mal)odors
Quaternary ammonium compound-free (No quaternary ammonium compounds)
Restroom Wipes for hard, non-porous surfaces
Stay-moist package
(Step-saving), (Labor-saving), (Time-saving), (Cost-saving) formula
Strong towelettes (or wipes)
Suitable for everyday use
Towel
Use on hard, non-porous surfaces only. (Test wipe on a small inconspicuous area first)
Use to disinfect shopping (or grocery) cart handles
Wipe down grocery (or shopping) cart handles

(Cleaning)

An effective counter cleaner
Built-in scrubbing fibers
Cleans without scratching surface(s)
Cleaner
Clean(s) and deodorize(s)
Cleans effectively
Cleans hard-to-remove stains
Clean you expect
Cleans sealed grout
Cleans hard, non-porous water washable surfaces!
Cleans (removes) (eliminates) (destroys) stains
Cleans (tough) grease and grime (and) (institutional) (soils)
Cleans (tough) soap scum
Cleans without bleaching
Compatible with (equipment) and (hard) (non-porous) surfaces
Convenient, (effective) (efficient) (&) easy cleaning
Effective daily cleaner
Effective against soap scum
For a cleaner, fresher [*insert any use site from use site section*]
For multiple cleaning tasks
For non-scratch cleaning of showers and tubs, shower doors and (nonporous) curtains, fixtures and toilet bowls
Good for most indoor cleaning tasks
Grease Cutting Formula
Great for grease cutting
Great for on-the-go cleaning
Intense cleaning action
Keeps day care centers clean

Leaves no (dull) (sticky) residue
Leaves (office) (washroom) (restroom) (bathroom) smelling clean
Leaves surfaces virtually streak-free
No mixing
No streaking
(Efficient) (effective) (and) easy cleaning everywhere
Removes tough stains
Scrubbing surface cleaner
Designed to dissolve (penetrate) the toughest (stubborn) soils
Uses (Harnesses) the cleaning power of hydrogen peroxide
Will not leave grit or soap scum

(Antimicrobial-related statements)

Antimicrobial
Antimicrobial (hard non-porous surface) Cleaner (cloth)
Antimicrobial Cell phone Wipe
Anti-microbial cleaner (cloth)
Bactericidal Cleaner
Bactericidal
Bactericidal (hard non-porous surface) Cleaner (cloth)
Bactericidal Cell phone Wipe
*Virucidal
*Virucidal (Surface) Cleaner (cloth)
*Virucidal Cell phone Wipe
Broad-Spectrum (Multi-Purpose) (Multi-Surface) (Bactericidal) (*Virucidal) (Sanitizer) (Disinfectant) (Activity)
(Cleaner)
Controls the spread of listed bacteria on treated hard, non-porous environmental surfaces
Controls (Eliminates) odor-causing bacteria
Cleans as it disinfects when used according to disinfection directions
(Disinfects) for a deep-down clean
Disinfectant (disinfecting) hard non-porous surface cleaner (cloth) (wipe)
Disinfects 99.9% against *Staphylococcus aureus*, *Salmonella enterica*, and *Pseudomonas aeruginosa*
Disinfects environmental hard non-porous surfaces
Disinfects hard, non-porous environmental surfaces
Disinfects headsets and telephones
Each pre-moistened towelette (disposable) (wipe) cleans and deodorizes all around the [insert any use site from use site section].
Effective against *virus that may cause the flu (*Influenza A Virus/Hong Kong)
Effective in 1 minute against *Staphylococcus aureus*, *Salmonella enterica*, and *Pseudomonas aeruginosa*
Effectively disinfects hard, non-porous surfaces
Effectively disinfects in the presence of organic soil 5% blood serum
Everyday, every room disinfectant
Exhibits effective *virucidal activity: kills *Influenza A Virus/Hong Kong and *Herpes Simplex Type 2
Kills antibiotic resistant organisms[†] [list of antibiotic resistant organisms is below, in Efficacy Claims section, under subheading Antibiotic-Resistant (Strains of) Bacteria]
Kills bacteria (and sanitizes)
Kills bacteria (and *viruses) (on hard, non-porous surfaces) in 1 minute
Kills (Effective against) cold *virus on hard, non-porous surfaces

Kills (Effective against) flu *virus on hard, non-porous surfaces

Kills (Effective against) cold and flu *virus on hard, non-porous surfaces

Kills odor-causing bacteria

Kills *viruses (in 1 minute)

Kills (99.9% of) (cold) (and) (flu) (*viruses) (in 1 minute)

Kills *Avian Influenza A Virus on pre-cleaned environmental hard non-porous surfaces

Kills: *Staphylococcus aureus*, *Salmonella enterica*, and *Pseudomonas aeruginosa*

Kills the flu virus *Influenza A

Kills *Norovirus (Norwalk virus)

Kills *Human Coronavirus

Kills *HIV-1 (AIDS virus) (HTLV-III_B)

Kills *HCV

Kills *HBV

On-the-go disinfectant

Oxivir™ (HC) Wipes control the spread of listed bacteria on treated hard, non-porous environmental surfaces

Oxivir™ (HC) Wipes help control listed bacteria on treated surfaces while keeping your office (or workstation or workplace or business) clean and dust-free

Restroom Disinfectant Wipes

Telephone (cleaner [and] disinfectant) wipes

These wipes are a convenient way to disinfect hard non-porous surfaces all around your (business) (office) (workplace)

Versatile (convenient) (disinfectant) (or disinfecting) cleaner

*Virucidal (or) Kills *viruses *Influenza A Virus/Hong Kong, *Herpes Simplex Type 2, *HCV, *HBV, *HIV-1

*Virus killing disinfectant

(Surface Compatibility Claims)

- (Formulated to be) surface compatible with equipment
- Compatible with surfaces of (Gloves,)(Clear Plastics,)(and)(Reflective surfaces)
- Designed for use (with Gloves,)(on Clear Plastics,)(and) (on Reflective surfaces)
- Broad Surface Compatibility
- Clean Multiple surfaces with (this product)
- Color Safe
- Compatible for use on hard, nonporous surfaces commonly found in healthcare settings
- Formulated for healthcare equipment
- Designed to improve (operating room) (OR) (and) (patient care area) turnover time
- Disinfect external surfaces of ultrasound transducers
- Designed for sensitive equipment surfaces
- Gentle on surfaces
- Equipment-friendly
- For (medical) (hospital) (clinical) equipment
- For healthcare use
- For hospital use
- For use on hospital hard, nonporous surfaces
- Effective for use on high touch surfaces
- Equipment Surface Compatible (Formula)
- Labor-saving (one-step) (no-rinse) formula
- Multi-surface (formula)
- Non-corrosive

- Non-flammable
- (Efficient) and Effective (Cleaning) (Disinfection) Everywhere (insert surface) –and/or- (insert material)
- Safe for daily use
- Safe on (gloves,) (clear plastics,) (reflective) surfaces
- (Safe to) (For) use on (the following surface materials) [insert from table below]
- Surface safe
- Broad surface compatibility
- Use or cleans and disinfects (on) healthcare surfaces (on) [insert surfaces] and/or [insert surface material(s)]
- Use to pre-clean or decontaminate critical or semi-critical medical devices prior to sterilization / high-level disinfection

(Packaging Claims)

Assures proper dilution strength for product effectiveness

Easy flip-top lid

(Eliminates buckets)

Dispenses exactly what you need

Take (1) (one) or Many Wipes

Easy to Dispense

Hassle Free Lid

Never fight the lid again

Unique lid design

No need to remove lid to get to wipes

No more pinched fingers

No more broken lids

Stronger Wipes!

One handed dispensing

Great for on the go

Mounts to (on) virtually anything (any surface)

Portable & Accessible Design

Wipes where and when you need them

Less packaging than traditional bucket

Uses (10 or 15 or 20 or 25)% less (packaging) (plastic) [than (traditional) (standard) (canister) (wipes)

(packaging)] [*Note to reviewer: only one number will be used on final label, depending on which package is used*]

Helps to support your (sustainability) (Corporate Social Responsibility) (CSR) (reduced packaging) (reduced packaging waste) initiatives

Takes up less space

Portable

Easy to dispense

Made with less plastic

Reduced packaging material

Made with the environment in mind

One handed dispensing

Ideal for daily cleaning and disinfecting

Dispensing Simplified

Wipes Simplified

Easy carry handles

Secure bracket

Just insert in dispenser (bracket) for one handed dispensing

Now (10 or 15 or 20 or 30 or 40)% stronger package [*Note to reviewer: only one number will be used on final label, depending on which substrate and/or package is used*]

Now (10 or 15 or 20 or 30 or 40)% stronger wipe [*Note to reviewer: only one number will be used on final label, depending on which substrate and/or package is used*]

Now (10 or 15 or 20 or 30 or 40)% stronger towelette [*Note to reviewer: only one number will be used on final label, depending on which substrate and/or package is used*]

No more wasted wipes

Portable or can be attached to brackets

Point of care dispensing or access or availability

No threading

Our (best or easiest or fastest) dispensing ever(!)

Just pull and go

Pull up for many pull forward for one wipe(s)

Wipes on demand

Easy to use (dispenser) (package)

Easy (to store) (to start dispensing) (to use lid)

Stackable packs

(Stays) (keeps) wipes wet

Convenient

Versatile packaging for every need

Ready to dispense

(Regular or Clinical or Large or EVS) Wipe size

Snap and seal closure

Same great product, (easier or better or improved) package

Wipes that clean better

Wipes are stronger

Wipes can do more

Clean Better

Clean and disinfect more easily

Travel size

Great for on the go disinfection

Convenient package size great for on the go

Puts wipes where you need them

Puts wipes always within reach

Clean and disinfect when the moment strikes

Clean and disinfect when the occasion strikes

Clean and disinfect key moments

Increase moments of disinfection

Just pop the top and grab a wipe

Place container where you need it

Wipes always when and where you need them

Quick lock wipe dispenser

First time use, lift here

First time use, do not remove lid
First time use, lift here to expose seal
Not a baby wipe
Wipe dispensing simplified
Stronger Wipes
Wipes when and where you need them
Just flip the lid and grab a wipe
Stand-up pouch takes up less space than bulky buckets
Easy dispensing, happy (nurses, staff, employees, users)
Do Not Remove Lid
Open Lid Here
Tear/Break/Puncture film to expose wipe roll
Remove seal for first wipe
Remove seal for wipe access
Tear Here
Remove seal here
Pull Seal Here
Remove to access wipe roll

(Additional Claims)

(Oxivir HC Wipes) (This product) (These) (are) (is a) non-woven, disposable (towelette(s)) (wipe(s)), pre-saturated with Hydrogen Peroxide (based) disinfectant cleaner.

(Oxivir HC Wipes) (This product) is a one-step (hospital-use) germicidal (disinfectant) cleaner and deodorant (odor-counteractant) (odor neutralizer) (towelette) designed for cleaning, (and) disinfecting, (and) (deodorizing) (of) hard, non-porous environmental surfaces.

(Oxivir HC Wipes') (This product's) (Its) (non-dulling) (advanced) (cleaning) (convenient) (easy-to-use) (effective) formula eliminates the time and labor normally required for rinsing.

(Oxivir HC Wipes') (This product's) (Its) (non-dulling) (advanced) (cleaning) (convenient) (easy-to-use) (effective) formula is designed for use on (Use daily on) (Use daily to clean and disinfect) (*insert use sites/surfaces from lists below*)

(Oxivir HC Wipes') (This product's) (Its) non-abrasive formula is designed for use on (Use daily on) (the following) [*insert use sites/surfaces from lists below*]

(Oxivir HC Wipes') (This product's) (Its) non-abrasive formula is designed for use on (Use daily on) hard, non-porous environmental surfaces.

(Oxivir HC Wipes) (This product) (It) cleans by removing dirt, grime, dead skin, blood, urine, fecal matter, body oils and other (organic matter) (common soils) found in [*insert use sites/surfaces from lists below*] (or – any hard, non-porous washable surface where disinfection is required.)

(Oxivir HC Wipes) (This product) (It) also eliminates odors, leaving (restroom) surfaces smelling clean and fresh. Use where odors are a problem.

(Note to Agency: Text appearing in parenthesis is done to show optional text which can be used partially or in its entirety. Commas may be added where needed. Text in brackets is a note to the Reviewer. Changes from previous approved label are highlighted in yellow.)

(Oxivir HC Wipes) (This product) cleans, disinfects and deodorizes hard, non-porous environmental (hospital) (medical) (dental) (laboratory) *[insert use sites/surfaces from lists below]* surfaces in one step (with no rinsing required).

(Oxivir HC Wipes) (This product) cleans, disinfects and deodorizes surfaces by killing odor-causing microorganisms. Its (non-dulling) (advanced) (efficient cleaning) (convenient) (easy-to-use) (effective) formula is designed for use on (Use it daily) on *[insert use sites/surfaces from lists below]*

(Oxivir HC Wipes) (This product) (It) (is designed for use on) (Use daily on) (the following) (hard, non-porous environmental (inanimate) surfaces): *(insert use sites/surfaces from lists below)* or – any hard, non-porous washable surface where disinfection is required.

Do not use on glasses, dishes and utensils.

Not recommended for use on brass, copper or marble.

(Oxivir HC Wipes) (This product) has been developed to aid in the reduction of cross-contamination between treated surfaces (not only in hospitals (and healthcare facilities), but also) in: *[insert use sites/surfaces from lists below]*

Note: Prior to use on electronic equipment or components, (please) refer to manufacturer's instructions (for appropriate use).

(USE SITES:)

[(Oxivir HC Wipes) (This product) can be used (in) (on) the following hard non-porous (areas) (surfaces):]

(Medical Facilities/Hospitals/Health Care Facilities/Dental Offices/Life Science Laboratories :)

- alternative care facilities,
- ambulances or (emergency medical) transport vehicles,
- ambulatory care centers (ASCs); ambulatory surgery centers,
- anesthesia rooms,
- assisted living facilities,
- (acute) (and) (long-term) care facilities,
- backboards,
- (hospital) (patient) bedrails and linings (patient bed linings), (vinyl mattress covers),
- bedpans,
- (hospital) (patient) bedrails, bedframes, bed springs, side rails,
- bedside (overbed) table,
- (bedside) commodes,
- blood pressure cuffs (for use on hard, non-porous surfaces)
- blood pressure monitors,
- CAT laboratories,
- (crash) (medication) carts,
- cabinets,
- (nurse) call buttons (boxes) (devices),
- (central service areas,
- central supply rooms,
- clinics,
- critical care units,
- dental chairs,
- dental clinics,
- dental curing lights,
- dental offices,
- dental operator surfaces,
- diagnostic equipment,
- dialysis clinics (facilities),
- (blood) (plasma) donation centers,
- examination (exam) rooms (areas),
- exam tables
- emergency rooms (ERs) (areas),
- eye surgical centers,
- footboards,
- gurneys,
- health care facilities,
- high-touch surfaces,
- home health care (settings),
- hospices,
- hospitals,
- infant incubators,
- instrument trays,
- IV stands (poles) and exterior surfaces of pumps,
- (medical) (neonatal) (pediatric) (surgical) intensive care units (ICUs) (MICUs) (NICUs) (PICUs) (SICUs) (areas),
- isolation rooms (areas),
- laboratories,
- laboratory settings
- laundry rooms,
- long-term care facilities (homes),
- (medical assistance services),
- medical facilities,
- (medical) (physicians') (doctors') offices,
- (neonatal) (newborn) nurseries,
- non-critical medical equipment surfaces,
- nursing homes,
- nurses stations,
- operating rooms (theaters),
- ophthalmic offices,
- outpatient (surgical) centers (clinics) (OPSCs) (facilities),
- paddles,
- patient rooms (areas),
- patient care (monitoring) equipment,
- pharmacies,
- phlebotomy trays,
- (physical) (patient) therapy rooms,
- physical therapy equipment,
- procedure rooms,
- psychiatric facilities,
- radiology (X-Ray) rooms (areas),
- reception areas,
- recovery rooms,
- rehabilitation centers,
- respiratory therapy rooms,
- skilled nursing facilities,
- stethoscopes,

(Note to Agency: Text appearing in parenthesis is done to show optional text which can be used partially or in its entirety. Commas may be added where needed. Text in brackets is a note to the Reviewer. Changes from previous approved label are highlighted in yellow.)

- stretchers,
- surgery rooms,
- traction bars, devices and patient slings,
- waiting rooms (areas)
- wash basins,
- wheelchairs,
- x-ray equipment,

(USE SITES, continued)

[(Oxivir HC Wipes) (This product) can be used (in) (on) the following hard non-porous (areas) (surfaces):]

(Animal/Veterinary Facilities/Animal Housing Facilities:)

- airports,
- animal equipment,
- animal crates,
- animal hospitals,
- animal housing facilities,
- animal treatment facilities,
- animal life science laboratories,
- automatic feeders (not for food contact),
- barns, pens, and stalls,
- bathrooms,
- brushes,
- buckets,
- bus (depots) (stations),
- cages,
- carts,
- non food contact counters,
- crates,
- dog runs,
- examination tables
- exercise facilities,
- exercise equipment,
- farm vehicles (trucks),
- fencing,
- fume hoods and animal cages (found in laboratory settings),
- farms,
- gates,
- gathering (guiding) equipment,
- merchandise stores,
- grooming equipment,
- grooming facilities,
- health clubs,
- handling equipment,
- harnesses & leashes,
- kennels,
- kennel runs,
- laboratories or other small animal facilities,
- office buildings,
- pens,
- pet shops (equine farms),
- shower rooms (areas),
- troughs,
- veterinary clinics
- veterinary equipment,
- veterinary care surfaces,
- (wash) stalls,

(Areas:)

- airports,
- aluminum
- athletic equipment,
- athletic facilities,
- baked enamel surfaces associated with floors,
- barber/beauty (salons) (shops),
- exterior surfaces of air vents covers,
- cabinets,
- cages,
- carts,
- casinos,
- ceilings
- chairs,
- changing tables,
- chrome
- closets,
- coated (removable) (plastic) covers for mattresses and pillows,
- computer mouse, keyboards, peripherals, screens, tables,
- convenience stores,
- convention centers,
- correctional facilities,
- counters (not for food contact),
- cruise ships,
- day care centers,
- desks,
- desktops,
- docking stations,
- doors,
- drawers,
- elevators,
- exercise equipment,
- exercise facilities,
- faucets,
- fixtures,
- floors (flooring),
- funeral homes,
- glass,
- glazed ceramic,
- glazed ceramic (restroom) tile,
- glazed porcelain,
- glazed tile,
- handheld electronic devices,
- handles,
- hand rails (railings),
- high touch non-food contact surfaces,
- homes cleaned by (home cleaning services) (professional cleaning services),
- hotels (motels),
- institutions,
- laminated surfaces
- laptops,
- laundromats,
- libraries,
- light fixtures, switches,
- lockers,
- locker rooms (areas),
- lounges,

(Note to Agency: Text appearing in parenthesis is done to show optional text which can be used partially or in its entirety. Commas may be added where needed. Text in brackets is a note to the Reviewer. Changes from previous approved label are highlighted in yellow.)

- mirrors,
- military installations,
- mobile devices (electronic equipment),
- mobile workstations,
- Naugahyde,
- non-food contact countertops,
- non-food contact surfaces,
- office buildings
- pagers,
- painted surfaces,
- phones, phone cradles and accessories,
- plastic (surfaces),
- plated steel
- playgrounds,
- public areas,
- public buildings,
- public restrooms,
- recreational facilities,
- restrooms,
- rest stops (public restrooms),
- retail businesses,
- schools (colleges, and universities),
- shelves,
- shopping centers,
- showers,
- shower fixtures,
- shower rooms (areas)
- sinks,
- sink basins,
- sinks found in (health care facilities),
- (hospitals), (dental offices), (patient rooms), (operating rooms), (ICU areas), (shower rooms), and (locker rooms)
- stainless steel,
- stools,
- spas,
- sports arenas (stadiums)
- train (depots) (stations),
- transportation terminals (facilities),
- tables,
- tablet PCs,
- telephones,
- tubs,
- exterior surfaces of toilets,
- toilet exteriors,
- exterior surfaces of urinals,
- urinal exteriors,
- walls,
- wash basins,
- vinyl,

(EFFICACY CLAIMS:)

(When used as directed, (Oxivir HC Wipes) (This product) is effective against a wide variety (broad-spectrum) of pathogenic microorganisms (including bacteria, antibiotic resistant bacteria [*list of antibiotic resistant organisms is below, in Efficacy Claims section, under subheading Antibiotic-Resistant (Strains of) Bacteria*], and *viruses.) (See reference sheet (enclosed in each case) for a complete list of organisms).

HOSPITAL DISINFECTANT:

BACTERICIDAL:

[Note to reviewer: One of the following statements will be on the product label]

(in the presence of 5% serum load and 1 minute contact time at 20°C (68°F) on hard, non-porous environmental surfaces.)

- or -

(1 minute contact time)

- or -

(1 minute)

(Bactericidal Activity):

(Organism)	(ATCC Number)	(Contact Time)
<i>Staphylococcus aureus</i>	(ATCC 6538)	1 minute
<i>Pseudomonas aeruginosa</i>	(ATCC 15442)	1 minute
<i>Salmonella enterica</i> , formerly known as <i>Salmonella choleraesuis</i>	(ATCC 10708)	1 minute
<i>Acinetobacter baumannii</i>	(ATCC 19606)	1 minute
<i>Escherichia coli</i> O157:H7	(ATCC 35150)	1 minute
<i>Klebsiella pneumonia</i>	(ATCC 4352)	1 minute
<i>Shigella dysenteriae</i>	(ATCC 11835)	1 minute

(†Antibiotic-Resistant (Strains of) Bacteria [*list below*]):

<i>Enterococcus faecalis</i> (Resistant to Vancomycin (VRE))	(ATCC 51575)	1 minute
<i>Escherichia coli</i> with extended beta-lactamase resistance (ESBL)	(ATCC BAA-196)	1 minute
<i>Staphylococcus aureus</i> (Resistant to Methicillin (MRSA))	(ATCC 33592)	1 minute
<i>Staphylococcus aureus</i> (CA-MRSA), (Community Associated Methicillin Resistant)	(NARSA NRS 384)(Genotype USA300)	1 minute
<i>Staphylococcus aureus</i> (CA-MRSA), (Community Associated Methicillin Resistant)	(NARSA NRS 123)(Genotype USA400)	1 minute

(Note to Agency: Text appearing in parenthesis is done to show optional text which can be used partially or in its entirety. Commas may be added where needed. Text in brackets is a note to the Reviewer. Changes from previous approved label are highlighted in yellow.)

***VIRUCIDAL:**

[Note to reviewer: One of the following statements will be on the product label]

(in the presence of 5% serum load and 1 minute contact time at 20°C (68°F) on hard, non-porous environmental surfaces.)

- or -

(1 minute contact time)

- or -

(1 minute)

(*Viruses (*Virucidal Activity)):

(Organism)	(ATCC Number)	(Contact Time)
*Adenovirus type 8	(ATCC VR-1368)	1 minute
*Hepatitis B Virus (HBV)	(Acquired from Hepadnavirus Testing)	1 minute
*Hepatitis C Virus (HCV)	(Acquired from National Veterinary Services Laboratories)	1 minute
*Herpes Simplex Virus, Type 1 (HSV-1)	(ATCC VR-733)	1 minute
*Herpes Simplex Virus, Type 2 (HSV-2)	(ATCC VR-734)	1 minute
*HIV-1 (AIDS Virus), Strain HTLV-III _B (HIV-1)	(Acquired from Adv. Biotechnologies, Inc.)	1 minute
*Human Coronavirus	(ATCC VR-740)	1 minute
*Influenza A Virus/Hong Kong	(ATCC VR-544)	1 minute
*Norovirus, (Feline Calicivirus as the surrogate)	ATCC VR-782	1 minute
*Poliovirus Type 1, (Strain Chat)	(ATCC VR-1562)	1 minute
*Rhinovirus Type 14	(ATCC VR-284)	1 minute
*Rotavirus WA	(Acquired from University of Ottawa)	1 minute

(*Veterinary Viruses:)

*Avian Influenza A Virus (H3N2)	(ATCC VR-2072)	1 minute
*Feline Calicivirus, Strain F9	(ATCC VR-782)	1 minute

Non-Food Contact Surface Sanitizer for hard non-porous surfaces:

[Note to reviewer: One of the following statements will be on the product label]

(in the presence of 5% serum load and 30 second contact time at 20°C (68°F) on hard, non-porous environmental surfaces.)

- or -

(in the presence of a 5% serum load and 30 second contact time (at 20°C (68°F)) on hard, non-porous environmental surfaces.)

- or -

(30 second contact time)

- or -

(30 seconds)

(Organism)	(ATCC Number)	(Contact Time)
<i>Enterococcus faecalis</i> , (Resistant to Vancomycin [VRE])	(ATCC 51575)	30 seconds
<i>Escherichia coli</i> O157:H7	(ATCC 35150)	30 seconds
<i>Klebsiella pneumoniae</i>	(ATCC 4352)	30 seconds
<i>Pseudomonas aeruginosa</i>	(ATCC 15442)	30 seconds
<i>Salmonella enterica</i> , (formerly known as <i>Salmonella choleraesuis</i>)	(ATCC 10708)	30 seconds
<i>Staphylococcus aureus</i>	(ATCC 6538)	30 seconds
<i>Staphylococcus aureus</i> , (Resistant to Methicillin [MRSA])	(ATCC 33592)	30 seconds

ALL SURFACES MUST REMAIN WET FOR:

1 minute – Bacteria & *Viruses

(Note to Agency: Text appearing in parenthesis is done to show optional text which can be used partially or in its entirety. Commas may be added where needed. Text in brackets is a note to the Reviewer. Changes from previous approved label are highlighted in yellow.)

Malodor(s) (Activity) – eliminates (destroys) odors and odor-causing bacteria on hard non-porous surfaces in restroom areas, behind and under sinks and counters, and storage areas (where bacterial growth can cause malodors).

{Note to reviewer: We will choose one or more of these statements depending on available space on the product label.}

(Emerging Pathogens Claims)

(Oxivir HC Wipes) (This product) meets the criteria to make claims against certain emerging viral pathogens from the following viral category:

- Enveloped Viruses
- Large, Non-Enveloped Viruses
- Small, Non-Enveloped Viruses

For an emerging viral pathogen that is a/an...	...follow the directions for use for the following organisms on the label:
Enveloped Viruses	<ul style="list-style-type: none"> • Feline Calicivirus (ATCC VR-782) / Norovirus • Rhinovirus Type 37 (ATCC VR-1147) • Adenovirus Type 8 (ATCC VR-1368) • Rotavirus, Strain WA • Poliovirus type 1 (ATCC VR-1000), Strain Brunhilde
Large, Non-Enveloped Viruses	<ul style="list-style-type: none"> • Feline Calicivirus (ATCC VR-782) / Norovirus • Rhinovirus Type 37 (ATCC VR-1147) • Poliovirus type 1 (ATCC VR-1000), Strain Brunhilde
Small, Non-Enveloped Viruses	

(Oxivir HC Wipes) (This product) has demonstrated effectiveness against viruses similar to [insert name of emerging virus] on hard, non-porous surfaces. Therefore, Oxivir HC (this product) can be used against [insert name of emerging virus] when used in accordance with the directions for use against [insert name of supporting virus(es) from list above] on [hard, non-porous surfaces]. Refer to the [CDC or OIE] website at [insert pathogen-specific website address] for additional information.

[Insert name of illness / outbreak] is caused by [insert name of emerging virus]. Oxivir HC kills similar viruses and therefore can be used against [insert name of emerging virus] when used in accordance with the directions for use against [insert name of supporting virus(es)] on [hard, non-porous surfaces]. Refer to the [CDC or OIE] website at [website address] for additional information.

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Not for personal cleansing. This is not a baby wipe. Do not flush in toilet.

{Note to reviewer: For labels that list semi-critical devices as defined by FDA.}

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the blood stream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise

(Note to Agency: Text appearing in parenthesis is done to show optional text which can be used partially or in its entirety. Commas may be added where needed. Text in brackets is a note to the Reviewer. Changes from previous approved label are highlighted in yellow.)

enter normally sterile areas of the body. This product may be used to pre-clean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

For Use as a (One-Step) (Cleaner)/(Disinfectant):

1. Pre-clean visibly soiled areas.
2. Pull towelette from dispenser (canister) and wipe hard, non-porous environmental surfaces.
3. All surfaces must remain visibly wet for 1 minute.
4. Allow to air dry (or rinse (with potable water if necessary)).

Note: All food contact surfaces must be rinsed with potable water. Do not use on glassware, utensils, or dishes.

For Use as (Daily) (Bathroom) (Restroom) (Shower Rooms) (Locker Rooms) (Athletic Equipment) (OneStep) Cleaner/Disinfectant:

1. Pre-clean visibly soiled areas.
2. Pull towelette from dispenser (canister) and wipe hard, non-porous environmental surfaces.
3. To disinfect, all surfaces must remain wet for one (1) minute.
4. Wipe surfaces dry (or rinse) (or allow to air dry).

KILLS HIV AND HCV and HBV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS

PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings (Hospitals, Nursing Homes) and other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood/body fluids, and in which the surfaces/objects likely to be soiled with blood/body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS) Hepatitis B Virus (HBV), or Hepatitis C Virus (HCV).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATING AGAINST HIV-1 (AIDS Virus), HBV OR HCV OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS:

Personal Protection: Disposable latex or vinyl gloves, gowns, face masks, and eye coverings (as appropriate), must be worn during all cleaning of body fluids, blood, and decontamination procedures.

Cleaning Procedures: Blood/body fluids must be thoroughly cleaned from surfaces/objects before application of this product.

Contact Time: Allow surface to remain wet for 1 minute to kill HIV-1, HBV and HCV.

Disposal of Infectious Material: Blood/body fluids must be autoclaved and disposed according to Federal, State and local regulations for infectious waste disposal.

For use as a Non-Food Contact Sanitizer:

1. Pre-clean visibly soiled areas.
2. Pull towelette from dispenser (canister) and wipe hard, non-porous environmental surfaces.
3. Allow the surface to remain wet for 30 seconds.
4. Wipe surfaces dry (or rinse) (or allow to air dry).
5. Change towelette after each use (application).

For Use as a Cleaner and/or Deodorizer:

Pull towelette from dispenser (canister) and wipe hard, non-porous environmental surfaces. Allow to air dry (or rinse (with potable water if necessary)).

Animal Housing Facilities (Including Veterinary Clinics, (Equine) Farms, Livestock, Swine and Poultry Houses):
For cleaning and disinfecting the following hard, non-porous surfaces: feeding and watering equipment, utensils, instruments, cages, kennels, stables, catteries, etc.

1. Remove all animals and feeds from premises, animal transportation vehicles, crates, etc.

(Note to Agency: Text appearing in parenthesis is done to show optional text which can be used partially or in its entirety. Commas may be added where needed. Text in brackets is a note to the Reviewer. Changes from previous approved label are highlighted in yellow.)

2. Remove all litter, droppings and manure from floors, walls and surfaces of facilities (including pens, chutes, and barns) occupied or traversed by animals.
3. Empty all troughs, racks, and other feeding or watering appliances.
4. Thoroughly clean all surfaces with soap or detergent and rinse with potable water. Pull towelette from dispenser (canister) and wipe hard, non-porous environmental surfaces.
5. All surfaces must remain visibly wet for 1 minute.
6. Allow to air dry (or rinse (with potable water if necessary)).
7. Ventilate buildings and other closed spaces.
8. Do not house animals or employ equipment until treatment has been set or dried.

NOTE: Not for use on handling and restraining equipment such as leashes, muzzles, halters or ropes, as well as forks, shovels, and scrapers used for removing litter and manure.

(Package Opening Instructions :)

(Rigid Can with EZ-Open Lid)

Dispenser Directions: Do Not Remove Lid. Lift Lid to expose dispenser and seal film. Using finger, push through film at vent hole and remove film. Pull wipe up from center of roll and pull towards you to insert in single wipe dispenser. Simply pull wipe at angle towards you to dispense one wipe at a time. To dispense multiple wipes, pull wipe away from you, out of single wipe dispenser and pull up. Separate wipe at perforation. When finished, close lid to retain moisture.

To Open New Package: No Need to Remove Lid. Lift lid to expose dispenser and seal film, which covers wipe roll. Simply puncture and tear film at the vent holes and remove film from canister.

To Open Package: Open lid/flap and pull out wipe at an angle from center of roll. When finished, close lid to retain moisture.

(Rigid Can with Traditional-Open Lid)

Dispenser Directions: Remove lid to expose dispenser and seal film. Remove film. Pull wipe up from center of roll and thread through lid. Replace lid. Pull wipe at angle towards you to dispense one wipe at a time. Separate wipe at perforation. When finished, close lid to retain moisture.

To Open New Package: Remove lid to expose dispenser and seal film, which covers wipe roll. Remove film. Thread wipe through lid. Replace lid.

To Open Package: Open lid/flap and pull out wipe at an angle from center of roll. When finished, close lid to retain moisture.

(Stand Up Pouch)

Dispenser Directions: Remove film seal from wipe access port. Pull first wipe from center of roll. Insert first wipe in to easy thread dispenser. Insert easy thread dispenser into port and make a 1/4 turn clockwise to lock in place. Pull wipes at an angle to dispense. Dispense as many as required for job and break off at perforation. After use, store next wipe in easy thread dispenser cavity and snap lid closed to retain moisture.

To Open New Package: Remove film seal (from orifice) (over/from cap). Twist dispenser counterclockwise and remove to access wipe roll. Grab first wipe from center of roll. Insert wipe in dispenser orifice. Insert dispenser, twist clockwise until it locks.

(Note to Agency: Text appearing in parenthesis is done to show optional text which can be used partially or in its entirety. Commas may be added where needed. Text in brackets is a note to the Reviewer. Changes from previous approved label are highlighted in yellow.)

To Open Package: Open lid/flap and pull out wipe at an angle from center of roll. When finished, close (click) (snap) lid/flap (closed) to retain moisture.

(FlatPack)

[For re-sealable flatpack, transport pack or softpack, flexible package:]

[To Open Package:]

1. Open [click-lock] [closure] and peel back [or] [remove] seal.
2. Pull out [one] wipe [sheet] [at a time][, use as directed].
3. [When finished,] [firmly] close [click-lock] [closure] to retain moisture [to prevent drying between uses].

(Re-sealable soft pack:)

1. Remove the seal (from the place shown on the label).
2. Remove one sheet at a time.
3. Close the seal (to prevent drying between uses).

STORAGE AND DISPOSAL:

Do not contaminate water, food or feed by storage or disposal.

Pesticide Disposal:

Store in original container in areas inaccessible to small children. Keep securely closed.

Container Disposal:

NONREFILLABLE READY-TO-USE FORMULATIONS: *Note to reviewer: The following text will be used on nonrefillable RTU container labels:*

Nonrefillable container. Do not reuse or refill this container. Wrap empty container and put in trash(, or offer for recycling if available).

REFILLABLE CONTAINERS: *Note to reviewer: The following paragraph will be used on labels for refillable containers:*

Refillable container. Refill this container with [*insert one of the following brand names: Oxivir Wipes, Oxivir HC Wipes*] only. Do not reuse this container for any other purpose.

Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller.

(Note to reviewer: *One of the following statements will be used, depending on the type of container*)

(*For product supplied in refillable or non-refillable containers*)

Towelette Storage/Disposal: Dispose of (wipe) (towelette) (cloth) in trash after use. Do not flush. Tightly close lid between uses to retain moisture.

(Note to Agency: Text appearing in parenthesis is done to show optional text which can be used partially or in its entirety. Commas may be added where needed. Text in brackets is a note to the Reviewer. Changes from previous approved label are highlighted in yellow.)

(For product supplied in resealable packages:)

Towelette Storage/Disposal: Dispose of (wipe) (towelette) (cloth) in trash after use. Do not flush. Reseal container label between uses to retain moisture.

ENVIRONMENTAL HAZARDS *(for labels with veterinary use patterns)*

This product is toxic to birds, fish and aquatic invertebrates. Caution should be used when applying indoors because pets may be at risk.

[Manufactured for:] © 2019 Diversey, Inc., P.O. Box 19747, Charlotte, NC 28219-0747 U.S.A. All Rights Reserved.



**AHP and designs are trademarks of Virox Technologies Inc. used under license

Optional Graphics:



*** QRD and designs are trademarks of Allied Hygiene Systems, Ltd. used under license

(Note to Agency: Text appearing in parenthesis is done to show optional text which can be used partially or in its entirety. Commas may be added where needed. Text in brackets is a note to the Reviewer. Changes from previous approved label are highlighted in yellow.)



Not a baby wipe
Not for personal use



One-step cleaning
and disinfection






For hard, non-porous
surfaces

(Do not flush symbol from INDA)



(Package opening icons)



(Note to Agency: Text appearing in parenthesis is done to show optional text which can be used partially or in its entirety. Commas may be added where needed. Text in brackets is a note to the Reviewer. Changes from previous approved label are highlighted in yellow.)

OXIVIR™ HC WIPES REFERENCE SHEET

(Insert verbatim any Claims statements from the Claims sections from above.)

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

(Insert verbatim any set(s) of Directions For Use from above)

See the container label for use directions and additional required information for First Aid, Precautionary Statements, and Storage and Disposal.

EPA Reg. No. 70627-XX

[Manufactured for:] © 2019 Diversey, Inc., P.O. Box 19747, Charlotte, NC 28219-0747 U.S.A. All Rights Reserved.